

CERTIFICATE OF ANALYSIS



Customer: Top Five Wholesale
6780 Congress Ave PH9
Boca Raton, FL 3348

Batch #: 102323

Laboratory Number: ATL-16197

Report Issue Date: 10/24/2023

Order Date: 10/24/2023

Analysis Date: 10/24/2023

Sample Description:

THCA Pre Roll
Flavor: Runtz

Unit Weight: 2g / Pre Roll



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	310.340	15.517
CBG	<0.007	30.480	1.524
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	0.740	0.037
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.160	0.258
CBC-A	<0.005	1.400	0.070
THC-A	<0.005	3.100	0.155

Max Active THC	mg/preroll	%
	2.72	0.14

Total Active Cannabinoids	mg/preroll	%
	312.81	15.64

Max Active CBD	mg/preroll	%
	N/D	N/D

Total Cannabinoids	mg/preroll	%
	351.22	17.56

NOTES

Cannabidiol(CBD) Cannabidiolol(CBDA) Cannabigerol(CBG) Cannabigerolol(CBGA) Cannabidiololol(CBDVA) Cannabidiolololol(CBDV) Tetrahydrocannabinol(THC) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

