

# CERTIFICATE OF ANALYSIS



**Customer:** Top Five Wholesale  
6780 Congress Ave PH9  
Boca Raton, FL 3348

**Batch #:** 102323

**Laboratory Number:** ATL-16197

**Report Issue Date:** 10/24/2023

**Order Date:** 10/24/2023

**Analysis Date:** 10/24/2023

**Sample Description:**

THCA Pre Roll  
Flavor: Sour Diesel

**Unit Weight:** 2g / Pre Roll



**Extraction Technician:** LL

**Analytical Chemist:** LL

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	310.340	15.517
CBG	<0.007	30.480	1.524
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	0.740	0.037
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.160	0.258
CBC-A	<0.005	1.400	0.070
THC-A	<0.005	3.100	0.155

<b>Max Active THC</b>	mg/preroll	%
	2.72	0.14

<b>Total Active Cannabinoids</b>	mg/preroll	%
	312.81	15.64

<b>Max Active CBD</b>	mg/preroll	%
	N/D	N/D

<b>Total Cannabinoids</b>	mg/preroll	%
	351.22	17.56

## NOTES

Cannabidiol(CBD) Cannabidiolol(CBDA) Cannabigerol(CBG) Cannabigerolol(CBGA) Cannabidiololol(CBDVA) Cannabidiolololol(CBDV) Tetrahydrocannabinol(THC) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

